

PATENT COOPERATION TREATY

PCT

NOTIFICATION OF THE RECORDING
OF A CHANGE(PCT Rule 92bis.1 and
Administrative Instructions, Section 422)

From the INTERNATIONAL BUREAU

To:

GRIFFITH HACK
GPO Box 4164
Sydney, NSW 2001
AUSTRALIE

Date of mailing (day/month/year) 16 October 2000 (16.10.00)	IMPORTANT NOTIFICATION
Applicant's or agent's file reference PH:FP12325	
International application No. PCT/AU00/00123	International filing date (day/month/year) 22 February 2000 (22.02.00)

1. The following indications appeared on record concerning:		
<input checked="" type="checkbox"/> the applicant	<input type="checkbox"/> the inventor	<input type="checkbox"/> the agent <input type="checkbox"/> the common representative
Name and Address CARDS ETC. PTY LIMITED 7/114 Locomotive Workshop Australian Technology Park Eveleigh, NSW 1430 Australia	State of Nationality AU	State of Residence AU
	Telephone No.	
	Facsimile No.	
	Teleprinter No.	
2. The International Bureau hereby notifies the applicant that the following change has been recorded concerning:		
<input type="checkbox"/> the person	<input type="checkbox"/> the name	<input checked="" type="checkbox"/> the address <input type="checkbox"/> the nationality <input type="checkbox"/> the residence
Name and Address CARDS ETC. PTY LIMITED Level 4 695-699 George Street Sydney, NSW 2000 Australia	State of Nationality AU	State of Residence AU
	Telephone No.	
	Facsimile No.	
	Teleprinter No.	
3. Further observations, if necessary:		
4. A copy of this notification has been sent to:		
<input checked="" type="checkbox"/> the receiving Office	<input type="checkbox"/> the designated Offices concerned	
<input type="checkbox"/> the International Searching Authority	<input checked="" type="checkbox"/> the elected Offices concerned	
<input checked="" type="checkbox"/> the International Preliminary Examining Authority	<input type="checkbox"/> other:	

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland	Authorized officer C. Cupello
Facsimile No.: (41-22) 740.14.35	Telephone No.: (41-22) 338.83.38

PATENT COOPERATION TREATY

PCT

NOTIFICATION OF ELECTION

(PCT Rule 61.2)

From the INTERNATIONAL BUREAU

To:

Assistant Commissioner for Patents
United States Patent and Trademark
Office
Box PCT
Washington, D.C. 20231
ETATS-UNIS D'AMERIQUE

in its capacity as elected Office

Date of mailing (day/month/year) 12 October 2000 (12.10.00)	
International application No. PCT/AU00/00123	Applicant's or agent's file reference PH:FP12325
International filing date (day/month/year) 22 February 2000 (22.02.00)	Priority date (day/month/year) 22 February 1999 (22.02.99)
Applicant GREEN, Mitchell, Curtis et al	

1. The designated Office is hereby notified of its election made:

☒ in the demand filed with the International Preliminary Examining Authority on:
22 September 2000 (22.09.00)

☐ in a notice effecting later election filed with the International Bureau on:

2. The election ☒ was
☐ was not

made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland Facsimile No.: (41-22) 740.14.35	Authorized officer Manu Berrod Telephone No.: (41-22) 338.83.38
---	---

INTERNATIONAL SEARCH REPORT

International application No.

PCT/AU00/00123

A. CLASSIFICATION OF SUBJECT MATTER

Int. Cl. ⁷: G06K 19/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
G06K 19/00, 19/067, G07F 19/00, G06F 17/60Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched
AU: IPC AS ABOVEElectronic data base consulted during the international search (name of data base and, where practicable, search terms used)
WPAT: CARD+, MANAGEMENT, NETWORK+.

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5578808 A (TAYLOR) 26 November 1996 Entire document	1 - 51
X	US 5276311 A (HENNIGE) 4 January 1994 Entire document	1 - 51
X	WO 96/38804 A (SYSECA S. A.) 5 December 1995 Entire document	1 - 51

☒ Further documents are listed in the continuation of Box C☒ See patent family annex

* Special categories of cited documents:

- "A" Document defining the general state of the art which is not considered to be of particular relevance
- "E" Earlier application or patent but published on or after the international filing date
- "L" Document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- "Z" document member of the same patent family

Date of the actual completion of the international search
7 March 2000Date of mailing of the international search report
11 MAR 2000

Name and mailing address of the ISA/AU:

AUSTRALIAN PATENT OFFICE
PO BOX 200, WODEN ACT 2606, AUSTRALIA
E-mail address: pct@ipaustralia.gov.au
Facsimile No. (02) 6285 3929

Authorized officer

CHARLES BERKO
Telephone No.: (02) 6283 2169

INTERNATIONAL SEARCH REPORT

International application No.

PCT/AU00/00123

C (Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X, Y	WO 96/25724 A (EUROPAY INTERNATIONAL S.A.) 22 August 1996 Entire document	1 - 51
X, Y	US 5812668 A (WEBER) 22 September 1998 Abstract; drawings, particularly figs 1B to 4 and 22; columns 1 - 4.	1 - 51
Y	AU 17904/95 (REIDER) 21 November 1996 Entire document	1 - 51
Y	Article: ELECTRONIC PAYMENT MECHANISMS by ROGER CLARKE, ©Xamax Consultancy Pty Ltd. 1995.	1 - 51
Y	JOURNAL OF TELECOMMUNICATIONS NETWORKS, Winter 1982; pages 317 to 332. Technology and Market Trends, 'A perspective on Financial Industry Networking' by STEPHEN B. WEINTEIN.	1 - 51

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No.
PCT/AU00/00123

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent Document Cited in Search Report				Patent Family Member			
US	5578808	AU	45735/96	CA	2170327	CN	1138723
		DE	19607363	GB	2298505		
US	5276311	AU	50528/90	BG	60020	BR	905549
		CA	2011090	DE	3906349	EP	385290
		ES	2069613	FI	98251B	HU	55151
		JP	3040081	NO	904731	PT	93281
		WO	90/10279	ZA	9001402		
WO	96/38804	CA	2219815	EP	829062	FR	2734927
WO	96/25724	AU	18022/95	BG	101797	CZ	9702392
		EP	819287	FI	973352	HU	77416
		LV	11923	NO	973693	PL	321735
		SK	1028/97	NZ	281157		
US	5812668	AU	33992/97	WO	97/49052		
END OF ANNEX							

WO 00/51070

- 42 -

PCT/AU00/00123

THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS:

1. A card, device and product management system, including a card management means which enables a card manager participant to perform a card management role alone, without managing products associated with a card and without managing devices;
- a device management means which enables a device manager participant to perform a device management role alone, without managing products associated with the card and without managing cards; and
- a product management means, which enables a product owner participant to perform a product management role alone, without managing cards and without managing devices, whereby all three roles can be performed by separate entities.
2. A system in accordance with claim 1, further comprising a message management means arranged to manage the routing of message data between cards, devices and a card, device and product management system.
3. A system in accordance with claim 2, wherein the message management means is also arranged to act as a communication's interface routing message data between the card management means, device management means and product management means.
4. A system in accordance with claim 2 or claim 3, the message management means also being arranged to manage the routing of message data to external systems.
5. A system in accordance with any one of claims 2 to 4, wherein each one of the card management means, device management means and product management means is provided with an associated message management means.
6. A system in accordance with any one of the preceding claims, wherein the system is arranged so that the product management means is arranged to facilitate the product owner participant to directly affect control of a

WO 00/51070

- 43 -

PCT/AU00/00123

product associated with a card or device, without intervention of any of the other participants.

7. A system in accordance with claim 6, wherein the control of the product involves loading data to the product.

8. A system in accordance with claim 6 or claim 7, wherein the control involves the product management means receiving data from the product via the system.

9. A system in accordance with claim 8, wherein the data is transaction data.

10. A system in accordance with any one of claims 6 to 9, wherein the control involves the product management means downloading product applications directly to a card or device.

11. A system in accordance with any one of claims 6 to 10, wherein the system is arranged so that data associated with the product and provided to the product management means or to the card or device from the product management means may be routed via the message management means of other entities participating in the system.

12. A system in accordance with any one of the preceding claims, wherein the card management means is arranged to store product owner identification data, identifying product owner participants responsible for managing products associated with cards managed by the card manager participant.

13. A system in accordance with any one of the preceding claims, wherein the device management means is arranged to store product owner identification data, identifying product owner participants responsible for managing products associated with devices managed by the device manager participant, and card acceptor identification data, identifying card accepters using devices managed by the device manager participant.

14. A system in accordance with any one of the preceding claims, wherein the product management means is

WO 00/51070

- 44 -

PCT/AU00/00123

arranged to store card manager identification data identifying card managers managing cards supporting products managed by the product owner participant.

15. A product management system, comprising a product management means which enables a product owner participant to perform a product management role alone, without managing cards and without managing devices, wherein the system is arranged to facilitate the product owner participant to directly affect control of a product associated with a card or device.

16. A system in accordance with claim 15, wherein the control of the product involves loading data to the product.

17. A system in accordance with claim 15 or claim 16, wherein the control involves the product management means receiving data from the product.

18. A system in accordance with claim 17, wherein the data is transaction data.

19. A system in accordance with any one of claims 15, 16 or 17, wherein the control involves the product management means downloading product applications to a card or device.

20. A system in accordance with any one of claims 15 to 20, wherein the product management means is arranged to store card manager identification data identifying card managers managing cards supporting products managed by the product owner participant.

21. A card management system, including a card management means which enables a card manager participant to perform a card management role alone, without managing products associated with a card and without managing devices.

22. A card management system in accordance with claim 19, wherein the card management means is arranged to store product owner identification data, identifying product owner participants responsible for managing products

WO 00/51070

- 45 -

PCT/AU00/00123

associated with cards managed by the card manager participant.

23. A device management system, including a device management means which enables a device manager participant
5 to perform a device management role alone, without managing products associated with a card and without managing cards.

24. A device management system in accordance with claim 21, wherein the device management means is arranged to store product owner identification data, identifying
10 product owner participants responsible for managing products associated with devices managed by the device manager participant, and card acceptor identification data, identifying card accepters using devices managed by the device manager participant.

15 25. A card, device and product management system, including a plurality of service processing means, each service processing means enabling a participant to the system to carry out at least one of card, device and product management, and a message management means provided
20 to each participant in the system and arranged to act as a communications interface routing message data between each of the service processing means and between cards and devices, to enable a network of service processing means and a plurality of participants to interface to carry out
25 card, device and product management.

26. A card, device and product management system including a network comprising a plurality of nodes, each node comprising a service processing means enabling a
30 system participant to carry out at least one of card, device and product management, and a message management means arranged to act as a communications interface routing message data between the service processing means of each node and between cards and devices.

27. A system in accordance with claim 26, wherein the
35 service processing means includes a device management means which enables a device manager participant to perform a

WO 00/51070

- 46 -

PCT/AU00/00123

device management role alone, without managing products associated with a card and without managing cards.

28. A system in accordance with claim 26 or claim 27, the service processing means including a card management means which enables a card manager participant to perform a card management role alone, without managing products associated with a card and without managing devices.

29. A system in accordance with any one of claims 26, 27 or 28, wherein the service processing means includes a product management means which enables a product owner participant to perform a product management role alone, without managing cards and without managing devices.

30. A method of managing cards, devices and products, comprising the steps of defining a tripartite environment for card management, the card management tripartite environment comprising;

a card manager participant responsible for managing non-product specific card operations;

a device manager participant responsible for managing devices for accepting cards and for carrying out product transactions; and

a product manager participants, responsible for the management of product-related aspects of the card environment, wherein the device manager participant, card management participant and product manager participant may be separate entities.

31. A method in accordance with claim 30, comprising the further step of providing a computer system including modules enabling each of the card manager participant, device manager participant and product manager participant roles to be carried out separately from each other.

32. A method in accordance with claim 30 or claim 31, comprising the step of enabling the system to facilitate the product manager participant to have direct access to a product in order to directly affect control of a product associated with a card or device.

WO 00/51070

- 47 -

PCT/AU00/00123

33. A method in accordance with claim 30, comprising the step of enabling the product owner participant to load data onto the product.

34. A method in accordance with claim 32 or claim 33, comprising the step of enabling the product owner participant to receive data from the product.

35. A method in accordance with claim 34, wherein the data is transaction data.

36. A method in accordance with any one of claims 32 to 35, comprising the step of the product owner participant downloading a product application to a card or device.

37. A method of managing products, comprising the steps of defining a product manager participant, responsible for the management of products alone, without managing cards and without managing devices, and providing the facility for the product manager participant to directly affect control of a product associated with a card or device.

38. A method in accordance with claim 37, including the step of providing the facility to enable the product owner participant to load data to the product.

39. A method in accordance with claim 37 or claim 38, including the step of providing the facility to enable the product manager participant to receive data from the product on the card or device.

40. A method in accordance with claim 39, wherein the data is transaction data.

41. A method in accordance with any one of claims 37 to 40, including the step of providing the facility to enable the product owner participant to download product applications to a card or device.

42. A method of managing cards, comprising the steps of defining a card manager participant whose role is to perform management of cards alone, without managing products associated with a card and without managing devices.

WO 00/51070

- 48 -

PCT/AU00/00123

43. A method of managing devices, comprising the steps of defining a device manager participant whose role is to perform management of devices alone, without managing products associated with a card and without managing cards.

5 44. A generic system for the management of cards, devices and products, the system including a card management module, a device management module and a product management module, which can be used separately and networked with each other to enable different entities to
10 carry out card management, device management and product management alone, and to network with other similar systems to facilitate card, device and product management.

45. A system in accordance with claim 44, further comprising a message management module arranged to act as a
15 communications interface to manage the routing of message data between cards, devices, products, card management modules, product management modules and device management modules and wherein each participant in the generic system utilises a message management module.

20 46. A card, device and product arrangement, including a computing system having memory locations for receiving a plurality of product applications, and security means enabling selective access to the memory locations for a plurality of product owners, whereby the product owners may
25 separately access and manage their products stored at the memory locations.

47. A card, device and product arrangement in accordance with claim 46, wherein the memory locations are provided mounted on cards.

30 48. A card, device and product arrangement in accordance with claim 47 or claim 48, wherein the memory locations are provided mounted on the devices.

49. A card device and product arrangement in accordance with claim 46, 47 or 48, wherein the security
35 means comprises tokens operating as keys to enable access to the memory locations.


WO 00/51070

- 49 -

PCT/AU00/00123

50. A card, device and product arrangement in accordance with any one of claims 46 to 49, including a product management system in accordance with any one of claims 15 to 20 to enable management of product by a product owner.

51. A card, device and product arrangement in accordance with any one of claims 46 to 49, including a card, device and product management system in accordance with any one of claims 1 to 15, to enable management of the arrangement.




PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : G06K 19/00	A1	(11) International Publication Number: WO 00/51070 (43) International Publication Date: 31 August 2000 (31.08.00)
(21) International Application Number: PCT/AU00/00123 (22) International Filing Date: 22 February 2000 (22.02.00) (30) Priority Data: PP 8822 22 February 1999 (22.02.99) AU PQ 3019 22 September 1999 (22.09.99) AU (71) Applicant (for all designated States except US): CARDS ETC. PTY LIMITED [AU/AU]; 7/114 Locomotive Workshop, Australian Technology Park, Eveleigh, NSW 1430 (AU). (72) Inventors; and (75) Inventors/Applicants (for US only): GREEN, Mitchell, Curtis [AU/AU]; 47 Garnet Street, Dulwich Hill, NSW 2203 (AU). WALTERS, Michael, Charles [AU/AU]; 28 Alfred Street, Leichhardt, NSW 2040 (AU). SCHADE, Rita [DE/AU]; Cards Etc Pty Limited, Level 4, 695-699 George Street, Sydney, NSW 2000 (AU). (74) Agent: GRIFFITH HACK; GPO Box 4164, Sydney, NSW 2001 (AU).	(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published With international search report.	

(54) Title: **CARD, DEVICE, PRODUCT AND PRODUCT MANAGEMENT SYSTEM**

(57) Abstract

This invention relates to a card, device and product management system, including a card management means which enables a card manager participant to perform a card management role alone, without managing products associated with a card and without managing devices; a device management means which enables a device manager participant to perform a device management role alone, without managing products associated with the card and without managing cards; and a product management means, which enables a product owner participant to perform a product management role alone, without managing cards and without managing devices, whereby all three roles can be performed by separate entities.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

CARD, DEVICE, PRODUCT AND PRODUCT MANAGEMENT SYSTEM

The present invention relates to a system for managing products associated with cards and devices, for example, payment, loyalty, identification, access, insurance, information and transportation products.

By "card" we mean, broadly, any apparatus that can be used to facilitate product transactions (typically with a card-accepting device). This includes magnetic-striped cards, smart cards, "virtual" cards ("wallets"), memory cards, microprocessor cards, contactless cards, optical cards, laser cards, embossed cards, tickets, boarding passes, coupons, and printed cards. It also includes any apparatus which might not be a card but which may provide for similar functionality.

By "device" we mean, broadly, any apparatus that can be used to facilitate product transactions (typically with a card). This includes ATM's, EFTPOS terminals, draft capture terminals, card accepters, contactless card readers, optical readers, laser readers, ticket readers, boarding pass readers, coupon readers, imprinters, and "virtual" devices (eg for reading "wallets").

The use of apparatus such as cards and/or devices for facilitating product transactions is ubiquitous. Note that by the term "product" we mean the application that the card and/or device associated with the product is arranged to facilitate. There are a large number of such products and a potential for many more. They include (but are not limited to):

1. Payment products - e.g. credit, charge, debit, stored value, purchasing, payphone, calling, and account billing products.

2. Loyalty products - e.g., airline frequent flier, product coupon, retailer discount and customer frequency products.

3. Identification products - e.g., license, ID, passport and electronic signature products.

4. Access products - e.g., building, computer, mobile phone, device and security access products.

5 5. Insurance products - e.g., health, motor vehicle and general insurance products.

6. Information products - e.g., medical, health, personal, computer, motor vehicle service and portable information file products.

10 7. Transport ticketing products - e.g., airline ticket and boarding pass, rapid transit ticketing, car park, parking meter and toll road transport products.

These products are often but not exclusively card based.

15 The management of card- and/or device-related products, as well as the associated message data, is complex. Any product usually requires the involvement of a number of different participants. In a credit card product, for example, the participants involved will
20 usually include the following:

1. Card Issuer. This may be an entity such as a bank that issues and/or subsequently manages a card for facilitating the credit product, to a cardholder. Note that the card issuer may outsource certain
25 functions to third parties (e.g., card manufacturing to a card-manufacturing bureau, to specifications provided by the card issuer);

2. Cardholder. This is usually the person holding the card. Note that the cardholder may be an
30 inanimate object such as a motor vehicle, or a corporation who assigns the card to a position or function.

3. Transaction Acquirer. This may be an entity such as a bank that typically (but not exclusively)
35 installs and/or subsequently manages a device that accepts cards to facilitate a credit product

transaction, to a card acceptor. The transaction acquirer is typically responsible for the management of transactions initiating from these devices (e.g., the routing of product transactions received from and sent to the devices, the routing of product transactions to processors to facilitate the approval and/or processing of product transactions). The transaction acquirer may in some cases be the same entity as the card issuer (e.g., where the same bank that issues the card acquires the product transaction). Note that the transaction acquirer may outsource certain functions to third parties (e.g., product transaction switching to a transaction-switching bureau, to specifications provided by the transaction acquirer).

4. Card Acceptor. This is usually the participant accepting the card and presenting the product transaction to the transaction acquirer via the device. The card acceptor in the case of a credit card may be a retail merchant.

In addition to the above, particularly in the case of credit cards, a "scheme operator" participant may also be involved. Product transactions may be routed via a scheme operator from the device or transaction acquirer to the card issuer for approval and/or processing of the product transaction. Examples of scheme operators include VISA® and MASTERCARD®.

The transaction acquirer may need to authorise the product transaction with the card issuer, before the transaction is approved. Authorisation for the transaction may be sought on-line directly from the card issuer, via a scheme operator (where a scheme is involved) or a third party ("stand in").

The transaction acquirer will need to clear and settle the product transaction with the card issuer, as well as provide the product transaction to the card issuer so it

can be processed. In credit card transactions, this can be done in a number of ways. Where the transaction acquirer and the card issuer are the same participant, it can be settled and provided for processing directly with the card issuer (an "on us" product transaction). Where the transaction acquirer and the card issuer are different participants, it can be settled and provided for processing through a bilateral interchange agreement or via a scheme operator (where a scheme is involved) interchange arrangement ("off us").

In a credit card system, the card acceptor usually pays a fee to the transaction acquirer, who in turn usually pays a fee to the card issuer (as well as the scheme operator or third party, if applicable). In some cases, the cardholder will also pay a fee to the card issuer and/or card acceptor. Alternately, the flow of fees between the various participants may be reversed in some cases.

Other types of products than credit cards may include variations on the above, but they will be substantially similar. For loyalty programs, for example, a bureau may be involved for the calculation of loyalty points.

Management of such products and the relationships between the participants involved is complex. Any management system(s) must be able to carry out a large number of processes and manage information enabling the management of the product and relationships. For example, the management system(s) must be able to:

1. make decisions and conduct processes based on product transaction content;
2. route product transactions to and from devices and other participants;
3. obtain and maintain information on card holders, card acceptors and other participants;
4. support cryptographic processing (messages may be encrypted).

The implementation of any product may necessarily involve negotiations between various entities involved to decide on the product operating parameters and data that will be required. A management system(s) will then be
5 designed to operate the product, including devices and processing systems for processing the necessary product transactions and other data. Such dedicated systems do not easily lend themselves to alteration or adaptation to facilitate operation of additional or other products.

10 For example, a product scheme and product package may overlap, such as where a VISA® or MASTERCARD® credit product issued by one bank is tied to a package of products in a confined locality (e.g., the Qantas/Telstra/Visa scheme in Australia or the American Express/American
15 Airlines/Hilton Hotels scheme in North America).

Present card and/or device product management systems therefore have a number of problems. Firstly, as discussed above, they are not readily adaptable to support significant changes in the product.

20 Secondly, if a card or device is lost or damaged and requires replacement, it can be a complex matter to obtain all the necessary information to reissue the card or re-establish the device. This is particularly the case where a card and/or device may be associated with more than one
25 product (e.g., a credit card product and a loyalty scheme product supported by the same card and/or device).

Information may have to be obtained from a number of different entities in order to reissue the card and/or re-establish the device.

30 The presently available management systems limit the extent by which cards associated with different products can be implemented (multi-product cards). Likewise, the presently available management systems also limit the extent to which devices supporting different products can
35 be established (multi-product devices). The more products that there are associated with a card and/or device, the

more negotiation is required between the different participants and the more complex the management system(s) required. One of the major benefits of smart cards which is often touted is their ability to support many different products on a single card. A cardholder may therefore only
5 need to carry one or two cards that support all the products that they may require. The present management systems stand in the way of the implementation of multi product cards, as well as multi-product devices.

10 The present management systems often result in product operating errors and delays in completing transactions, particularly where the product is one of a multiple-product system. The present multiple-product systems generally arise by the addition of a further product to an already
15 existing card/device based product. The management system is amended or added to to cope with the further product. For example, where the further product includes a loyalty scheme, presently transaction information from the primary product, (e.g. credit card product) will undergo further
20 processing to establish data associated with the loyalty product. Primary participants in this system are the managers of the credit card product (e.g. transaction acquirer and card issuer for the credit card product). To enable the loyalty product the primary participants provide
25 further separate processing. For example, the transaction acquirer and the card issuer may be a bank. The bank is responsible for processing a transaction it receives from devices associated with the credit card product. As well as transactions associated with the credit card product, in
30 a separate process (usually carried out in batch) the bank must determine which of the credit product transactions are associated with card holders who belong to the loyalty scheme. The data from those transactions is then used to calculate loyalty points. Loyalty points are often
35 calculated by a separate bureau which receives the relevant transaction data from the bank. The loyalty points may

then be passed on to the loyalty product manager. The transaction data processed by the transaction acquirer will include the same data whether the transaction is associated with the loyalty scheme or not. The transaction acquirer
5 (or other entity processing the transactions) must first of all "match up" the transaction data with the loyalty scheme (which may be by identifying the card holder the transaction is associated with determining whether or not that card holder is a member of the loyalty scheme) and
10 then pass only the relevant transactions onto the loyalty product manager (or bureau). In the present systems therefore, the transaction must go past the transaction acquirer first for primary processing before it is passed on for further processing to enable implementation of the
15 loyalty product. This complicates processing.

This system can result in errors and delays. For example, it may take weeks or even months for loyalty points to be credited to a card holders account. In some cases, loyalty points may not be allocated at all.

20 Further, redemption of loyalty points is done as a totally separate process, which is also slow and requires effort by the card holder.

In such a system there is no real control of the loyalty product by the loyalty product manager. Further,
25 there is no product as such on the card or device. The card and device system have been constructed to support the primary product (e.g. the credit card product) and operation of the further product is done "behind the scenes". There is no information in the transaction for
30 the loyalty product manager. Separate "batch processing" must be provided by the transaction acquirer.

The present "card processing environment" can be considered either a single role environment (where all product transactions are "on us") or a dual role
35 environment (where at least some product transactions are "off us"). In the case of a single role environment, the

card issuer is also the transaction acquirer. In the case of a dual role environment, the card issuer and transaction acquirer may be separate. It should be noted that there might be multiple participants carrying out a particular
5 role (i.e., multiple card issuers and multiple transaction acquirers within a dual role environment).

Where a further product is involved being managed by a separate product manager participant, such as described above, the product manager is an indirect participant.
10 Indirect participants rely on the participants in the single role or dual role environment to provide them with the information necessary for them to manage the product. They are not directly involved in the "card processing environment". The raw data provided in the transaction is
15 not usable by the further indirect participant. Further processing must be provided by a separate process.

The present applicants have identified the possibility of a further role being involved in the card processing environment to facilitate the management of card device-
20 based products, particularly where multiple products are to be supported by cards and/or devices. The applicants have termed this third role a "product owner". The product owner is an entity who can be considered to "own" a product associated with the card and/or device. The product owner
25 may be responsible for the management of the product in isolation of other card and/or device management requirements (i.e., they may not be responsible for the issuing or management of cards, nor the establishment or management of devices). As some of the previous functions
30 of the card issuer may be transferred to the product owner, the applicants have re-named the previous card issuer role as "card manager". Likewise, as some of the previous functions of the transaction acquirer may be transferred to the product owner, the applicants have re-named the
35 previous transaction acquirer role as "device manager".

Note that a product may be implemented as a product application on a card, on a device, or distributed on both card and the device. Smart cards in particular facilitate the provision of product applications on the card. The management system of the present invention, however, although particularly appropriate for the smart card environment may also be implemented to manage products which may not be on the card, which may be on the device, or which may be neither on the card or on the device.

10 The present invention provides a card device and product management system, including a card management means which enables a card manager participant to perform a card management role alone, without managing products associated with a card and without managing devices;

15 a device management means which enables a device manager participant to perform a device management role alone, without managing products associated with the card and without managing cards; and

20 a product management means, which enables a product owner participant to perform a product management role alone, without managing cards and without managing devices, whereby all three roles can be performed by separate entities.

25 The terms "card", "device" and "product" have the definitions which are given above, as amplified as follows: The "card" includes any means which enables representation of a relationship between a card holder and a card manager. In the simplest terms, it may include merely an identification number or account number. It is a guarantee that the card holder is enabled to carry out the product transaction. It may include a token or electronic wallet which is utilisable over a computer network such as the Internet, from a card holder's PC.

35 Similarly, a "device" is anything capable of representing a relationship between a device manager (transaction acquirer) and a card acceptor (merchant). It

may be a "virtual" device accessible via a Web page on the Internet, for example.

The addition of a product owner role to the single or dual environment, preferably creates a "tripartite
5 environment", where there may be three roles required to facilitate the management of card and/or device-associated products:

1. the management of cards being carried out by the card manager.
- 10 2. The management of devices, being carried out by the device manager.
3. The management of a product being carried out by the product owner.

Note that all these roles may in some circumstances be
15 carried out by the same participant, i.e. operating each of the device management means, product management means and card management means.

Each of the product management means, card management means and device management means preferably includes a
20 software module controlling a processing means to facilitate the product owner, card manager and device manager roles.

The system preferably further comprises a message management means which is arranged to manage the routing of
25 message data between cards, devices and the card, device and product management system. In a preferred embodiment, the message management means includes a software module which can control a processing means to control the routing of message data. Note that by message data is meant any
30 data including transaction data, that needs to be routed within the system. Preferably, each participant in the system is provided with a message management module. For example, where the card manager, product owner and device manager are separate entities, each of the entities will
35 have a message management means to control the routing of

message data within the system, i.e. between the management means and the cards and devices.

Preferably, the device management means include storage means for storing product owner identification data, identifying product owner participants responsible for managing products associated with devices managed by the device manager participant, and card acceptor identification data, identifying card acceptors using devices managed by the device manager participant.

10 Preferably, the product management means includes storage means arranged to store card manager identification data identifying card managers managing cards supporting products managed by the product owner participant.

The product management means may also store card holder identification data, identifying card holders holding cards having products managed by the product owner participant, and card acceptor identification data, identifying card acceptors having devices supporting products managed by the product owner participant.

20 Preferably, the card management means is arranged to store product owner identification data identifying product owner participants responsible for managing products associated with cards managed by the card manager participant. The card management means may also store card holder identification data, identifying card holders holding cards managed by the card managed participant.

Preferably, each of the management means also stores links to the management means of other participants.

In each management means, a database may store the required data.

Note that in each case identification data may not be the actual identity of the entity. For example, the product owner may not need necessarily to have the name of the card holder who has a product of the product owner. It may be sufficient to have an ID number, without knowing the actual name of the card holder. It may only be necessary

for the card manager to know the actual identity of the card holder. In many cases a card holder will not wish to provide their identity to more entities than necessary. The present system enables products to be provided to a
5 card holder without the card holder having necessarily to provide his identity to a product owner.

Usually, it will be required that the card managers have an actual identity of the card holder and that the device managers have an actual identity of the card
10 acceptor. Other than this, actual identities do not necessarily need to be provided to any other participant.

Any product owner must have a relationship with a cardholder. The relationship with the cardholder need not be direct. It could be by way of a card manager. What the
15 product owner requires in the relationship with the cardholder is the right type of product data to enable management of the product. This can be any data that the product owner requires from the cardholder, as well as any data that the product owner provides to the cardholder. It
20 may be a product transaction, the name and address of the cardholder, a card application for a product, a unique identifier of the card (e.g., a card number) and cardholder, or any other information.

Any product owner must have a relationship with a card
25 acceptor. The relationship with the card acceptor need not be direct. It could be by way of a device manager. What the product owner requires in the relationship with the card acceptor is the right type of product data to enable management of the product. This can be any data that the
30 product owner requires from the card acceptor, as well as any data that the product owner provides to the card acceptor. It may be a product transaction, the name and address of the card acceptor, a device application for a product, a unique identifier of the device (e.g., a device
35 number) and card acceptor, or any other information.

The relationship with the card acceptor and the cardholder may be implemented dynamically. That is, the relationship may occur only when the card acceptor and cardholder come to operate the product e.g., the product
5 may be loaded by the card acceptor and cardholder at any time.

To manage the cardholder (referred to by the product owner as the "product-holder") relationship, data such as the identity of the cardholder will usually be required by
10 the product owner. The identity need not be an actual identity but may merely be an identification number. In some cases even identity information may not be necessary i.e., it may be enough for the product owner to receive transaction data indicating that there is a card holder.
15 Again, the relationship with the cardholder may be indirect and any information on the cardholder could be provided by other parties in the system e.g., a card manager.

To manage the card acceptor (referred to by the product owner as the "product acceptor") relationship, data
20 such as the identity of the card acceptor will usually be required by the product owner. The identity need not be an actual identity but may merely be an identification number. In some cases even identity information may not be necessary i.e., it may sufficient merely to receive
25 transaction information from the card acceptor so that the product owner is aware that there is a card acceptor. Again, the relationship with the card acceptor may be indirect and any information on the card acceptor could be provided by other parties in the system e.g., a device
30 manager.

Separation out of product management from other aspects of card management provides a number of advantages. Any card and/or device product can be managed separately from all other aspects of the card- and/or device-related
35 environment. Thus, the role of the product owner is simplified (management of the product only), such that the

product owner - need not be concerned with, for example, the provision and management of cards and - devices required to support their product. This also results in less effort on the part of card managers and device
5 managers to support the products of a product owner. For example, a chain of restaurants may wish to manage a loyalty scheme, where they would be the product owner of the loyalty scheme. Their product management system would only need to be able to manage the information required to
10 manage the loyalty scheme, not the broader aspects of card and/or device management unrelated to their loyalty scheme. These other aspects of card and device management will be conducted by card manager and device managers that agree to support the restaurant chain's product.

15 Preferably, the card management means manages aspects of the card-related environment that are associated with the card manager. The card manager management system(s) should preferably be able to uniquely identify each card it manages, maintain data relating to that card, and share
20 such data with product owners and device managers.

Preferably the device management means manages aspects of the device-related environment that are associated with the device manager. The device manager management
25 system(s) should preferably be able to uniquely identify each device it manages, maintain data relating to that device, and share such data with product owners and card managers.

With the management system(s) of the present invention, therefore, an entity that wishes to be involved
30 in any one aspect of the tripartite card environment conceived by the applicant (product management, card management and device management) will require only the appropriate part of the system which relates to management of the aspect of the environment that they are responsible
35 for, together with the message management means, enabling

communications between the management systems of different entities in a tripartite environment.

The product owner, for example, thus manages the product in isolation from all the other tasks. Aspects of the product may be updated (e.g., a new version of the product application on the card) through the product management means in a tripartite environment, thus avoiding the need for that entity to also have a card and/or device management means.

10 This serves to illustrate an important aspect of the present invention. In the prior art systems discussed in the preamble where a third party operates a product such as a loyalty scheme as a secondary product receiving data from a system which has been designed to operate a primary
15 product, the loyalty product owner is not really a party to the management system at all. The prior art environment is dual role or single role environment, and the third party depends upon the parties to the primary product for any information, transactional information and to make any
20 amendments to the product. Where the product is on the card or in the device, it is the primary participants who must make amendments to the product application.

In the present invention, the product owner is preferably able to affect control over the product. For
25 example, where the product application exist either on a device or on a card (such as a smart card) or on both, the product owner may be able to download an updated application via the management system, perhaps without any intervention of any of the other management participants in
30 the system. Transaction data created in relation to the product may be routed to the product owner via the message management means of the other participants in the system, without processing by the management modules of the other participants. The management system of the present
35 invention, therefore, preferably facilitates enabling the product holder to communicate directly with the product

e.g., to put information on the product or to receive information from the product. This cannot be done in the prior art by a third party operator who is not directly involved in the prior art dual role or single role
5 environment.

Further, with a management system in accordance with the present invention, the replacement of cards and devices that have been lost, stolen, damaged, destroyed, - re-assigned or the like becomes much simpler. A card or
10 device may include a number of products which are known by the management system(s) of the card manager and the device manager, which also maintains non-product specific data. The management system(s) of the card manager and device manager may also maintain product specific data provided by
15 each product owner, or may maintain links to each product owner's management system such that this product-specific data can be obtained. In this way, a card manager or device manager may obtain data from the management system(s) of product owners that, together with data
20 maintained on their own management system, will enable a card or device to be reconstructed and replaced.

The provision and management of multi-product cards and devices becomes simpler with a management system in accordance with the present invention. If a product owner
25 wishes to deploy a product onto a card or device, all they need do is obtain the product management system and message management package, and establish a relationship with a card manager and device manager for that product. The card manager can then assist the product owner to deploy the
30 product on their cards, and the device manager can assist the product owner to deploy the product on their devices. Once the product is operational, the device manager and card manager can configure their management systems to manage transactions facilitated by the product. For
35 example, the device manager's management system may route product transactions received from their devices directly

to the product owner's management system, and the card managers' management system may inform the product owners' management system of any change of address details advised by the cardholder.

5 The security and privacy aspects of the system of the present invention are also particularly advantageous. Cardholders are often reluctant to give too many personal details to certain entities. With the present invention, all that the product management system requires is
10 sufficient information to be able to manage the product. The personal identity of a cardholder may not be required. Such aspects can be left to the card manager. If the card manager is a reputable bank, therefore, for example, the product owner may "trust" the bank to ensure the bona fides
15 of the cardholder, and thus would not require this information themselves. This is advantageous for the cardholder as it limits the number of entities that require detailed personal information, but still enables the cardholder to obtain access to multiple products, thus
20 protecting personal privacy. If the product owner must communicate with the cardholder, this can be achieved through the card manager who can link the unique identifier of the cardholder maintained by the product owner with the personal information of the product owner, and then
25 communicate directly with the latter.

Customer service is also facilitated by the system of the present invention. The cardholder may need only a single contact (usually the card manager) if a product is not operating to satisfaction. A cardholder complains to
30 the card manager who may be able to process the complaint themselves or who will be able to pass it on straight away to the product owner (or other relevant party) via the management system. The cardholder does not require multiple contacts corresponding to each one of the multiple
35 products.

The management system of the present invention also preferably includes interface means to interface the management system with external systems. This interface means is preferably provided in the form of software modules which the applicant terms "business modules" which operate a processing means to interface with a desired external system. For example, a product owner may already have or may wish to design their own external system for processing aspects of a product. A business module therefore provides a link between the external system and the management system and may convert the data being received by the management system into a form which is usable by the product owners external system. Modules may also interface to legacy systems, so that the management system of the present invention is able to fit in with existing systems.

The present invention further provides a product management system, comprising a product management means which enables a product owner participant to perform a product management role alone, without managing cards and without managing devices, wherein the system is arranged to facilitate the product owner participant to directly affect control of a product associated with a card or device.

By "facilitate" is meant that the system gives a mechanism by which data can be communicated directly between the product holder and the product associated with the card or device. The product may be on the card or on the device in the sense that software is resting on the card or device relating to the product. The card or device may be considered in terms of "real estate" e.g. the smart card may include a number of storage locations which the card manager can "let" to product owners. The card manager will provide a "key" to enable the product owner to have access to a secure location on the card and the product owner could in fact provide their own key to prevent interference with the product on the card. This cannot be

done by present multiple product arrangements, wherein primary processing is required by a card manager or device manager before a product owner, such as a loyalty points owner, can manage the product.

5 The present invention further provides a card management system, including a card management means which enables a card manager participant to perform a card management role alone, without managing products associated with a card and without managing devices.

10 The present invention further provides a device management system, including a device management means which enables a device manager participant to perform a device management role alone, without managing products associated with a card and without managing cards.

15 The present invention further provides a card, device and product management system, including a plurality of service processing means, each service processing means enabling a participant to the system to carry out at least one of card, device and product management, and a message
20 management means provided to each participant in the system and arranged to act as a communications interface routing message data between each of the service processing means and between cards and devices, to enable a network of service processing means and a plurality of participants to
25 interface to carry out card, device and product management.

The service processing means preferably include card management means, device management means and product management means, as discussed above.

The present invention further provides a card, device
30 and product management system including a network comprising a plurality of nodes, each node comprising a service processing means enabling a system participant to carry out at least one of card, device and product management, and a message management means arranged to act
35 as a communications interface routing message data between

the service processing means of each node and between cards and devices.

The present invention further provides a method of managing cards, devices and products, comprising the steps
5 of defining a tripartite environment for card management, the card management tripartite environment comprising;

a card manager participant responsible for managing non-product specific card operations;

a device manager participant responsible for managing
10 devices for accepting cards and for carrying out product transactions; and

a product manager participant; responsible for the management of product-related aspects of the card environment, wherein the device manager participant, card
15 management participant and product manager participant may be separate entities.

The present invention further provides a method of managing products, comprising the steps of defining a product manager participant, responsible for the management
20 of products alone, without managing cards and without managing devices, and facilitating the product manager participant to directly affect control of a product associated with a card or device.

The present invention further provides a method of
25 managing cards, comprising the steps of defining a card manager participant whose role is to perform management of cards alone, without managing products associated with a card and without managing devices.

The present invention further provides a method of
30 managing devices, comprising the steps of defining a device manager participant whose role is to perform management of devices alone, without managing products associated with a card and without managing cards.

The present invention further provides a generic
35 system for the management of cards, devices and products, the system including a card management module, a device

management module and a product management module, which can be used separately and networked with each other to enable different entities to carry out card management, device management and product management alone, and to
5 network with other similar systems to facilitate card, device and product management.

Preferably, any entity wishing to become involved acquires the necessary module (depending on whether they are card manager, device manager or product manager) and
10 configures it to their requirements. Such a generic system particularly designed to facilitate the management of cards, devices and products is a novel concept. Any number of entities can become involved in a networked system.

The system of this aspect of the present invention may
15 include any or all of the features of the aspects discussed above.

The present invention further provides a card, device and product arrangement, including a computing system having storage locations for receiving a plurality of
20 product applications, and security means enabling selective access to the storage locations for a plurality of product owners, whereby the product owners may separately access and manage their products stored at the storage locations.

The storage locations for receiving the product
25 applications may be mounted on the cards themselves eg where the cards are smart cards, or may be mounted on devices or shared between cards and devices. The storage locations can be considered in terms of "real estate" as discussed above, and a card or device manager can "let" the
30 real estate to product owners so that they can run their products using the arrangement. The security means may comprise a key, preferably in the form of any token which enables the product owner access to the storage location (a token may be any identifier, eg PIN). Security means may
35 also be provided to prevent the card or device manager from

accessing a particular product owner's storage location, once it has been "let" to that product owner.

Note that the storage locations need not be mounted on the cards or the devices, but may be located elsewhere in the computer system, or may be distributed within the computer system.

The card, device and product arrangement of the present invention is preferably implemented within a card, device and product management system in accordance with the preceding aspects of the present invention discussed above. Indeed, the use of such a system facilitates the product owner management of their product application stored at the storage location.

Features and advantages of the present invention will become apparent from the following description of an embodiment thereof, by way of example only, with reference to the accompanying drawings, in which:

Fig. 1 is a schematic diagram of a present card-related environment;

Fig. 2 is a schematic diagram of a card-related environment facilitated by the card management system of the present invention;

Fig. 3 is a block diagram of a system architecture of a card management system in accordance with an embodiment of the present invention;

Fig. 4 is a schematic diagram giving an example of an overall linked system including entities running a plurality of card management systems in accordance with embodiments of the present invention, for managing transactions for multiple product cards;

Fig. 5 is an illustration of application of a management system in accordance with an embodiment of the present invention;

Fig. 6 is a schematic diagram illustrating processing of a compound transaction in a management system in accordance with an embodiment of the present invention;

Fig. 7 is a schematic diagram illustrating a smart card reconstruction process utilising a management system in accordance with an embodiment of the present invention;

Fig. 8 is a schematic diagram illustrating an
5 application download to a smart card utilising a management system in accordance with the present invention, and

Fig. 9 is a schematic diagram illustrating a process for deleting an application from a smart card utilising a management system in accordance with an embodiment of the
10 present invention.

Figure 1 shows the current environment for management of card products.

The environment includes a card issuer 1. The card issuer is responsible for issuing and managing a card 2
15 (perhaps by way of a separate card-manufacturing bureau) to a cardholder 3. The card issuer may be a bank or other financial institution that wishes to issue cardholders cards having a credit card product, for example. The card issuer would require details of the identity of the
20 cardholder, address, credit rating, etc.

The environment also includes a transaction acquirer 4. The transaction acquirer is responsible for deploying and managing devices 5 (perhaps by way of a third party distributor) to a card acceptor 6. The transaction
25 acquirer may be a bank or other organisation that wishes to deploy devices to card accepters who support a credit card product, for example. The transaction acquirer would require details of the identity of the card acceptor, address, bank account details, etc.

30 Traditionally, dedicated computer systems are used to manage the card product in the current environment. These systems are subject to the problems discussed in the preamble of this specification.

Referring to figure 2, a modified environment is shown
35 which is facilitated by the card management system in a preferred embodiment of the present invention. In addition

to the card manager 1 (the renamed card issuer) and device manager 4 (renamed transaction acquirer), there is a further entity, product owner 7. The product owner 7 is responsible for management of aspects of the environment that relates to a particular product supported by the card 2 and the device 5. The product owner is only responsible for the product. The product owner is not responsible for other aspects of the card and device environment that are not specifically product related, such as issuing and managing cards and deploying and managing devices. A product owner needs only information on a card, device, cardholder and card acceptor that is required to operate the product. The product owner 7 will have relationships with card accepters and card holders who support the product.

The product owner, card manager, and device manager functions may be carried out by one or more entities, which may in turn perform one of more functions. In this way, many scenarios are supported. For example, one entity may only perform the product owner function, another entity may perform the card manager and product owner function, a third entity may perform all three functions, whilst a final entity may perform only the device management function.

The architecture of the management system in accordance with an embodiment of the present invention is illustrated schematically in figure 3. The management system comprises a message management module 10, card management module 11, device management module 12, and product management module 13.

The message management module which is arranged to receive message-data (e.g., from devices) and forward the message data onto the appropriate service management module 11, 12, 13. Similarly, it can receive message data from the management module 11, 12, 13 and forward them out of the system or to other management modules.

Each of the management system modules includes functionality that enables management of cards (card management module 11), devices (device management module 12) and products (product management module 13).

5 The system also comprises one or more business modules 14. These modules encapsulate the functionality required to meet a particular business need of one or more entities participating in a card environment utilising a management system in accordance with the present invention. The
10 business modules provide extensions and/or constraints to the management system in order to support specific business requirements. For example, they may support the technical implementation of the MULTOS card platform, support an interface to a legacy database system, support transaction
15 processing specific to a particular product, or manage transactions received from a particular device.

Each of the card 11, device 12 and product management 13 modules (the service modules) include relational databases and processing means to provide the following:

20

Product Management Module

1. Provide products for card holders (Card holder product to Product owner) and Card Acceptors (in the form of a Card Acceptor product to a Product Acceptor).
- 25 2. Establishment of products within Card Manager/Device Manager constraints.
3. Process product transactions.
4. management of relationships with suppliers, Card holders/Card acceptors and Card Managers/Device managers.
- 30 5. Supports management of product life cycle (including product data and applications) and the management of supported device/card relationships per Product (including the relationships with Card Managers and Device Managers).
6. Manage card products and related information.
- 35 7. Product specifications. Specifies card and device applications, compatible card and device platforms,

required memory of cards/devices, parameters and data requirements.

8. Product relationships e.g. relationships between different products.

5 9. Product parameters/configuration.

10. Primary product certificates, cryptography.

11. Card Manager and Device Manager information. Multiple card managers and device managers may support product.

10 12. Links to or data from the card management module for card holders using the product.

13. Device management links. Links to or data from the device management module for card acceptors supporting the product.

15 14. Transaction data may be required to be mirrored for reconstruction.

15. Card/device application.

16. Application provision. Dynamic downloading of applications to cards.

20 Device Management Module

1. Establish and manage devices used by card acceptors.

2. Establishment of devices at card acceptor locations.

3. Deployment of products from product owners.

25 4. Management of relationships with suppliers, card acceptors and product owners.

5. Ordering of devices from vendors.

6. Maintenance and management of device inventories and devices installed (including data & applications on devices).

30 7. Management of supported product relationships per device (including the relationships with the product owners).

8. Device specification data. To define device maintenance/management processes - provides details about
35 capacity for applications, etc.

9. Device parameters/configuration data required for device installation reconstruction processes. Defines device manager specific configuration of device data.
10. Primary device certificates, keys - cryptography.
- 5 11. Device product applications, links. Product applications may be managed by the transaction processor but for device reconstruction processes at least links are maintained.
12. Card acceptor data e.g. conduct details, full title, demographic information, etc.
- 10 13. Card acceptor/Device relationships. Multiple device may be linked to same card acceptor.
14. Card acceptor establishment e.g. through manual data entry, electronic file import.
- 15 15. Card acceptor communications. Statements, etc.
16. Application distribution. Keep track and distribute applications to devices and card applications to be distributed to smart cards.
17. Device utilisation provides device manager with tools to specify the data to be included on the device.
- 20 18. Device update reconfiguration update and reconfigure device.
19. General device/card acceptor management. Fees, management, reports.

25

Card Management Module

1. Issue and manage cards used by card holders.
2. Issuing of cards to card holders (including re-issuing/reconstruction)
- 30 3. Deployment of products from product owners.
4. Management of relationships with Suppliers, Card holders and Product owners.
5. Ordering of cards from vendors.
6. Management of card stock and cards issued (including data and applications on card)
- 35

7. Management of supported product relationships per card (including the relationships with the product owner).
8. Card holder Data. All card holder related data is required to be captured and maintained by the card management module e.g. card holders name, contact details, identification references, demographic information, market research findings and diary notes.
9. Card/card holder relationships (relationship links required for many to many relationships between cards and card holders. Multiple card holders may be linked to the same group (e.g. family cards) - multiple cards to same card holder (company, corporation cards).
10. Card specification data, card platform issued, memory capacity, types of memory, for capacity of applications.
11. Card parameters/configuration data - for card production/updating/reconstruction processes. Specify how card memory space is used and data/applications downloaded onto card and defines general card issuer specific configuration of the card data (this does not include product specific data/applications).
12. Personalisation data for card production/reconstruction processes specifies the card holder data provided on the card, which may be number of cardholder data.
13. Primary card certificates/keys (cryptography)
14. Card product applications/links - maintains links to product manager to enable reconstruction of card.
15. Card holder establishment, through manual data entry, electronic file import, etc.
16. Card holder communications e.g. event dates/time dates such as card issuance.
17. Card production/issuance provides tools for card manager to specify data to be included on cards and provide for unique ID of card.
18. Card updating/reconstruction - facility to update reconstruct specified card or range of cards - may require

the need for regular "reconciliations" with card in on-line environment.

19. General card management. Card/card holder requirement (determining reports, etc) participants related
5 requirements (fees payable, renewable).

The message management module enables the following functions:

Message management Module

- 10 1. Manages message and data flows for and between the service and business modules.
2. Captures formatting, routing and logging of transactions/messages.
3. Sending and receiving of transactions/messages within
15 and between the connected management systems as well as external systems devices and cards.
4. Cryptographic processing of data, including authentication.
5. Logging of billable events and support for activity
20 based and generic fees.
6. Production of standard and ad hoc reports.
7. Administration of systems, including installation, configurations, access control, monitoring, recovering and archiving.
25 8. Compliance with generally accepted standards, performance and operational criteria, including localisation of implementation.
9. Manage and route messages to/from interconnected systems, devices and cards.
30 10. Manage communications to/from individuals and organisations (e.g. customer inquiries, letters).
11. Produce information representing fees.
12. Perform system administration tasks (e.g. installing and uninstalling configuring, performance monitoring,
35 logging, notifying users, detecting and analysing

anomalies, backing up and restoring, archiving and retrieving.

13. Support appropriate access control, physical security and cryptographic processing (e.g. authentication, encryption).

14. Record and review the current and historical state of the system (e.g. for audit purposes).

15. Convert from transaction format to the internal transaction format of the service module or external system.

16. Capturing transactions and writing them to a log sheet for reconciliation, auditing, etc.

17. Transaction splitting. Some transactions received may be compound transactions (same transaction applies to multiple products or applications) and are required to be split into two or more atomic transactions - transactions must be routed as early in the transaction chain as possible to ensure highest data privacy possible.

For a particular operator of the management system in accordance with the present invention, they may have one, two or all of the three management modules 11, 12, 13, depending upon their function as an entity in the environment. Referring to figure 4, for example, entity one is an organisation that wishes to provide and run certain products. All they require of the system is the foundation module and the product management module, as well as any business modules that may be needed in order to support particular business functionality. Entity two is a card and device manager, whilst entity three is a card manager, device manager and also a product owner.

Each of the management systems of entity one, entity two and entity three may be connected to support various products. For example, a product owner may establish a commercial relationship with entity one and/or entity two as the card manager and/or device manager for their particular product.

In operation, a cardholder 1 who requires an available product may seek the product from the product owner. The product may be provided as a software application downloaded via a device 5. The cardholder could in fact
5 interact directly with the device to request the product, provide any details that may be required (if they cannot already be provided from the details that the card manager has on the cardholder). The product can then be entered on the card holders card.

10 Fig. 5 is an illustration of an example configuration of the use of management systems in accordance with the present invention. Two participants are illustrated. Participant "A" is a bank or other financial institution that operates a credit card product. They run a management
15 system in accordance with the present invention, including message management module 20, card management module 21, device management module 22 and product management module 23. Business management module a 24 and business management module b 25 are also provided. Participant A
20 not only manages the credit card product using product management module 23, but also manages devices 26 and cards 27, utilising device management module 22 and card management module 21, respectively.

Participant "B" is an airline which owns a loyalty
25 product. They have a system in accordance with the present invention comprising a message management module 28, a product management module 29, business management module c 30 and a loyalty system application 31. The loyalty system application 31 is an application designed specifically for
30 participant B, for processing its loyalty system transactions.

Card holder 32 possesses a card 27 which supports both the credit card product of participant A and the loyalty product of participant B.

35 Card holder 32 purchases goods from card acceptor 33. In order to pay for the goods the cardholder uses the

credit card product on the card 27 via device 26. Message data 34 generated by the device 26 is transferred directly to the message management module 20 participant A. Message management module 20 routes the message data to the device management module 22. The device management module determines that message data relates to a transaction which is associated with their credit card product and also with the loyalty product of participant B. The device management module 22 operates to break down the transaction data into message data for the participant B and also message data for the product management module 23 of participant A. Message data for the product management module 23 is routed via the message management means 20 to the product management module 23. The credit transaction is an "on us" transaction and the product management module 23 determines that the participant A is also the card manager 21. Appropriate transaction information may be provided to the card management module 21 via the message management module 20 and also to an external credit card processing system 34 after having been converted by business module a 24 into an appropriate (different) form required for the credit card processing external system 34. The system 34 may be a legacy system which was already in place at participant A before installation of the management system of the present invention.

The message data intended for the participant B is first of all routed by business management module b 25, for appropriate cryptographic conversion. Participant B requires that this cryptographic processing be carried out for security purposes. After processing by the business management module b 25, the encrypted message data is transmitted via the message management module 20 to the message management module 28 of participant B. Message management module 28 passes on the message data to product management module 29. The product management module 29 calculates loyalty points, for example. In this particular

case, participant B has a separate loyalty product system 31 that needs to be updated with the loyalty points.

Further message data generated by the product management module 29 and including the loyalty point information is
5 converted via business management module c 30 to an appropriate format for the loyalty point system 31 and passed to the loyalty point system 31 via the message management module 28.

Another example of the utility of the management
10 system of the present invention is in the handling of compound transactions.

A compound transaction is a single transaction which applies to multiple applications managed by the same or different processing systems/management systems of the
15 present invention. For instance, a credit product transaction with an attached loyalty product may generate one transaction between smart card and device; however, the atomic transactions for the credit product and the loyalty product may be routed to different systems. Compound
20 transactions occur each time multiple applications generate a compound transaction during the interaction between smart card and devices.

Figure 6 illustrates the transaction flow for a compound transaction. The steps involved are described in
25 detail below.

1. During an interaction between smart card 40 and device 41, multiple applications generate a compound transaction.
2. Periodically the device dials into the Device Management 42 to upload all transactions, which are logged
30 by the Message Management module 43 of the Device Management 42.
3. The Device Management 42 applies pre-defined rules to the logged transactions. A compound transaction rule generates multiple atomic transactions destined for
35 multiple management systems in accordance with the present invention or legacy systems.

4. The Device Management 42 transmits the atomic transactions to one or more Product Management modules, 44, 45 and/or to one or more legacy systems 46, for further processing.

- 5 5. The Device Management may optionally transmit an advice to one or more Card Management systems to advise altered smart card data or applications.

Other possibilities are:

1. Multiple applications operating concurrently may
10 generate an atomic transaction each, such that no compound transactions occur.

2. A compound transaction may be divided into its atomic transactions in the device prior to a periodic batch transmission to the Device Management.

- 15 The process of recreating smart cards may become necessary when cardholders advise the card issuer that the smart cards are lost or stolen. The recreation of the smart card involves blocking the lost/stolen card, accumulating the applications and data from the Card
20 Management system, and personalising a new smart card.

The Card Management may only recreate the smart card's applications and data for which the Card Management has received explicit permission from the cardholder. The cardholder is responsible for recreating private data. For
25 instance, cryptographic keys may only be obtained by the cardholder or by the Card Management with explicit permission from the cardholder, possible through a request to the Product Management module which may request the cardholder keys for an application from the CA.

- 30 Figures 7 illustrates the transaction flow for the recreation of a smart card. The steps involved are described in detail below.

The steps of the transaction flow may be described as follows:

1. The cardholder 50 requests a smart card recreation from the card issuer 51, and provides card issuer 51 with desired permission for the reconstruction process.
 2. The card issuer instructs the Card Management module 52 to block the previous card and schedule the reconstruction process, and requests a smart card reconstruction.
 3. The Card Management 52 generates a new card number, assimilates the cardholder data, the card applications references and requests the applications and possibly the permissive card data (should the card data not reside within the Card Management module) from one or more Product Management modules 53 and/or one or more legacy systems 54 referred to in the card application references.
 4. The Product Management modules(s) 53 and/or legacy system(s) 54 review the permissions, may request the appropriate data from other sources, e.g. CA, update the appropriate databases with the new card number and transmit the applications and possibly the card data to the Card Management module 52.
 5. The Card Management module 52 generates a personalisation file with all the assimilated applications and data. The personalisation file may be processed in the form of a report by an independent card personalisation machine 55 and the card 56 submitted to the cardholder 50.
- Variations:

1. The card Management may request a smart card or a range of smart cards to be reconstructed, e.g. the expiry date is printed on the card face.
- One of the major advantages of the management system in accordance with the present invention is that it enables dynamic loading and unloading of product applications from smart cards and/or devices after issuance of the smart card or installation of the device.
- The dynamic application load transfers an application to a smart card or device, to ensure that new applications

may be loaded onto smart cards after the cards have been issued, and loaded onto the devices after they have been installed. The application load transaction occurs upon request, the request may be issued by the management system modules or by the cardholder or card acceptor.

Figure 8 illustrates one of the possible transaction flows for an application load transaction to smart cards. The steps involved in this variation are described in detail below.

The step of the transaction flow to facilitate application loading onto smart cards may be described as follows:

1. During the interaction between smart card 60 and device 61, the device offers the smart card 60 an application that is not resident on the smart card 60.

(a) The smart card 60 may verify that the application may legally reside on the card manager's card (e.g. ascertaining that an agreement is in place between card manager and device manager for this application).

2. The cardholder agrees to load the application onto the smart card 60, the smart card 60 requests the device 61 to provide the application for the smart card 60 to load into its memory.

3. The device dials into the Device Management 62 of the management system of the present invention.

4. The Device Management 62 sends an application request to the Product Management 63.

(a) Should the smart card 60 and device 61 not be able to ascertain the legality of the application on the smart card 60, the verification may be required between Device Management 62 and Card Management 64, prior to the application request being submitted to the Product Management 63. Also, if the application has a value associated with the application, the Device Management 62 may ascertain that the smart card 60 has not been blocked.

5. The Product Management 63 provides the requested application to the Device Management 62.
6. The Device Management 62 provides the requested application to the device 61.
- 5 7. The device 61 discontinues the on-line link to the Device Management 62 and provides the smart card 60 with the requested application.
8. The smart card 60 installs the application in its memory.
- 10 9. The smart card 60 may send an advice of the successful loading to the device 61 for batch upload to the Device Management 62 for distribution to the requesting participant. This advice may be necessary for mission critical application, whilst other products or Card Management 64 may not require the advice. The Device Management 62 may transmit the advice to
- Card Management 64
 - Product Management 63
 - both
- 20 The Dynamic Application Load for devices may be facilitated in a similar manner with the instruction for the load originating either from the device, the Device Management module or the Product Management module.
- Note that the device management 62, product management 25 63 and card management 64 may belong to the same entity or separate entities.

Variations

- Other possibilities for application loads to smart 30 cards are:
1. The cardholder requests by phone that the application be loaded onto the smart card, e.g. the next time the smart card is on-line for another transaction. The Product Management will schedule the load and request the Device 35 Management to provide the device with the application upon request, e.g. when the smart card is on-line.

2. The Product Management arranges an agreement with the Card Management to provide all the smart cards managed by the Card Management with an application. Either the Card Management or the Product Management instructs the Device Management to:

(a) provide all the devices managed by the Device Management with the application upon request, e.g. when the smart cards are next on-line;

(b) provide all the devices managed by the Device Management with the application the next time the devices are on-line, such that the application loading may be facilitated off-line when the smart cards interact with the devices.

3. The Card Management instructs the Device Management to load applications onto a range of smart cards either:

(a) the next time the smart cards are on-line for a transaction;

(b) by pre-loading the application onto devices for off-line application loading.

Other possibilities for application loads to devices are:

1. The device requests on-line that an application be loaded, e.g. to process a transaction with a smart card which holds an unknown application. The Device Management requests the application from one or more Product Management modules. The application is loaded onto the device in a similar fashion to the smart card application load. Once the application is installed in the device, the transaction with the smart card may proceed.

2. The Device Management requests the device applications from the Product Management module(s) and transfers the applications to a range/all devices for installation during the next interaction with the devices.

3. The Product Management requests the Device Management to provide the devices with applications during the next interaction with the devices.

The dynamic application unload deletes an application from a smart card 70n or device 71, to ensure that applications may be unloaded from smart cards after the cards have been issued, and unloaded from the devices after they have been installed. The application unload transaction may occur automatically (e.g. single use coupons) or upon request, the request may be issued by the modules of the management system of the present invention or by the cardholder or card acceptor.

Figure 9 illustrates the transaction flow for an unload transaction. The steps involved are described in detail below.

The steps of the transaction flow to facilitate application unloading from smart cards may be described as follows:

1. The Card Management 72 may request the Device Management 73 to delete an application from a range of smart cards managed by the Card Management 73,
 - (a) the next time the device 71 is on-line for a transaction with one of the smart cards 70 within the range;
 - (b) broadcast the request to the devices 71 the next time the devices 71 are on-line for an interaction with the Device Management 73 such that the unload request may be communicated to the smart card 70 off-line during a transaction interaction (this mode may be necessary if the Card Management 71 discontinues the support of the application or a cardholder abuses the application).
2. During the interaction between smart card 70 and devices 71.
 - (a) and the device has to dial-in to the Device Management 73 to complete the transaction, the Device Management 73 may request the device 71 to communicate the unload request to the smart card 70 as part of the response to the device 71. The device 71 discontinues the communication with the Device Management 73, completes the

transaction, and communicates the unload request to the smart card 70.

(b) communicates the broadcasted unload request to the smart card 70.

- 5 3. The smart card 70 deletes the application from its memory, with an optional advice to the device 71 that the application has been deleted. The advice may be uploaded to the Device Management 73 during the next interaction, which may be transmitted to the Card Management 72 and the
- 10 Product 73 Management modules.

The Dynamic Application Unload for devices may be facilitated in a similar manner with the instruction for the load originating either from the device, the Device Management module or the Product Management module.

- 15 Other possibilities for application unloads to smart cards and/or devices are:

1. The Product Management may request the Device Management to unload an application from all smart cards and/or all devices, e.g. a discontinued application.
- 20 2. The smart card may delete the application from its memory after a single use of the application, e.g. single use coupons.
3. The device may request the smart card to delete the application from its memory after a single use of the
- 25 application, e.g. single use coupons.
4. The Device Management may request the device that an application that is no longer supported by the Device Management be deleted from the device's memory.

Implementation of a management system in accordance

30 with the present invention can enable methods of operating and making available products that are not presently practical.

For example, card managers and device managers operating the system may publish a set of "standards" for

35 compliance with their systems. Product owners complying with those standards could then offer products for use with

the cards and devices managed by the card manager and device manager. There would be no need for any complex negotiations to establish the parameters of the relationship between the product owner, device manager and
5 card manager. The product owner would merely have to arrange his product to comply with the standards and then make the product available to the card manager and device manager, who would in turn make the product available to the card holder. An already fully compliant product is
10 offered for use with the systems.

It will be appreciated by persons skilled in the art that numerous variations and/or modifications may be made to the invention as shown in the specific embodiments without departing from the spirit or scope of the invention
15 as broadly described. The present embodiments are, therefore, to be considered in all respects as illustrative and not restrictive.

THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS:

1. A card, device and product management system,
including a card management means which enables a card
5 manager participant to perform a card management role
alone, without managing products associated with a card and
without managing devices;
a device management means which enables a device
manager participant to perform a device management role
10 alone, without managing products associated with the card
and without managing cards; and
a product management means, which enables a product
owner participant to perform a product management role
alone, without managing cards and without managing devices,
15 whereby all three roles can be performed by separate
entities.
2. A system in accordance with claim 1, further
comprising a message management means arranged to manage
the routing of message data between cards, devices and a
20 card, device and product management system.
3. A system in accordance with claim 2, wherein the
message management means is also arranged to act as a
communication's interface routing message data between the
card management means, device management means and product
25 management means.
4. A system in accordance with claim 2 or claim 3,
the message management means also being arranged to manage
the routing of message data to external systems.
5. A system in accordance with any one of claims 2
30 to 4, wherein each one of the card management means, device
management means and product management means is provided
with an associated message management means.
6. A system in accordance with any one of the
preceding claims, wherein the system is arranged so that
35 the product management means is arranged to facilitate the
product owner participant to directly affect control of a

product associated with a card or device, without intervention of any of the other participants.

7. A system in accordance with claim 6, wherein the control of the product involves loading data to the
5 product.

8. A system in accordance with claim 6 or claim 7, wherein the control involves the product management means receiving data from the product via the system.

9. A system in accordance with claim 8, wherein the
10 data is transaction data.

10. A system in accordance with any one of claims 6 to 9, wherein the control involves the product management means downloading product applications directly to a card or device.

15 11. A system in accordance with any one of claims 6 to 10, wherein the system is arranged so that data associated with the product and provided to the product management means or to the card or device from the product management means may be routed via the message management
20 means of other entities participating in the system.

12. A system in accordance with any one of the preceding claims, wherein the card management means is arranged to store product owner identification data, identifying product owner participants responsible for
25 managing products associated with cards managed by the card manager participant.

13. A system in accordance with any one of the preceding claims, wherein the device management means is arranged to store product owner identification data, identifying product owner participants responsible for
30 managing products associated with devices managed by the device manager participant, and card acceptor identification data, identifying card accepters using devices managed by the device manager participant.

35 14. A system in accordance with any one of the preceding claims, wherein the product management means is

arranged to store card manager identification data identifying card managers managing cards supporting products managed by the product owner participant.

15. A product management system, comprising a product
5 management means which enables a product owner participant to perform a product management role alone, without managing cards and without managing devices, wherein the system is arranged to facilitate the product owner participant to directly affect control of a product
10 associated with a card or device.

16. A system in accordance with claim 15, wherein the control of the product involves loading data to the product.

17. A system in accordance with claim 15 or claim 16,
15 wherein the control involves the product management means receiving data from the product.

18. A system in accordance with claim 17, wherein the data is transaction data.

19. A system in accordance with any one of claims 15,
20 16 or 17, wherein the control involves the product management means downloading product applications to a card or device.

20. A system in accordance with any one of claims 15
25 to 20, wherein the product management means is arranged to store card manager identification data identifying card managers managing cards supporting products managed by the product owner participant.

21. A card management system, including a card
management means which enables a card manager participant
30 to perform a card management role alone, without managing products associated with a card and without managing devices.

22. A card management system in accordance with claim
19, wherein the card management means is arranged to store
35 product owner identification data, identifying product owner participants responsible for managing products

associated with cards managed by the card manager participant.

23. A device management system, including a device management means which enables a device manager participant
5 to perform a device management role alone, without managing products associated with a card and without managing cards.

24. A device management system in accordance with claim 21, wherein the device management means is arranged to store product owner identification data, identifying
10 product owner participants responsible for managing products associated with devices managed by the device manager participant, and card acceptor identification data, identifying card accepters using devices managed by the device manager participant.

15 25. A card, device and product management system, including a plurality of service processing means, each service processing means enabling a participant to the system to carry out at least one of card, device and product management, and a message management means provided
20 to each participant in the system and arranged to act as a communications interface routing message data between each of the service processing means and between cards and devices, to enable a network of service processing means and a plurality of participants to interface to carry out
25 card, device and product management.

26. A card, device and product management system including a network comprising a plurality of nodes, each node comprising a service processing means enabling a
30 system participant to carry out at least one of card, device and product management, and a message management means arranged to act as a communications interface routing message data between the service processing means of each node and between cards and devices.

27. A system in accordance with claim 26, wherein the
35 service processing means includes a device management means which enables a device manager participant to perform a

device management role alone, without managing products associated with a card and without managing cards.

28. A system in accordance with claim 26 or claim 27, the service processing means including a card management
5 means which enables a card manager participant to perform a card management role alone, without managing products associated with a card and without managing devices.

29. A system in accordance with any one of claims 26, 27 or 28, wherein the service processing means includes a
10 product management means which enables a product owner participant to perform a product management role alone, without managing cards and without managing devices.

30. A method of managing cards, devices and products, comprising the steps of defining a tripartite environment
15 for card management, the card management tripartite environment comprising;

a card manager participant responsible for managing non-product specific card operations;

a device manager participant responsible for managing
20 devices for accepting cards and for carrying out product transactions; and

a product manager participants, responsible for the management of product-related aspects of the card environment, wherein the device manager participant, card
25 management participant and product manager participant may be separate entities.

31. A method in accordance with claim 30, comprising the further step of providing a computer system including modules enabling each of the card manager participant,
30 device manager participant and product manager participant roles to be carried out separately from each other.

32. A method in accordance with claim 30 or claim 31, comprising the step of enabling the system to facilitate the product manager participant to have direct access to a
35 product in order to directly affect control of a product associated with a card or device.

33. A method in accordance with claim 30, comprising the step of enabling the product owner participant to load data onto the product.

34. A method in accordance with claim 32 or claim 33,
5 comprising the step of enabling the product owner participant to receive data from the product.

35. A method in accordance with claim 34, wherein the data is transaction data.

36. A method in accordance with any one of claims 32
10 to 35, comprising the step of the product owner participant downloading a product application to a card or device.

37. A method of managing products, comprising the steps of defining a product manager participant, responsible for the management of products alone, without
15 managing cards and without managing devices, and providing the facility for the product manager participant to directly affect control of a product associated with a card or device.

38. A method in accordance with claim 37, including
20 the step of providing the facility to enable the product owner participant to load data to the product.

39. A method in accordance with claim 37 or claim 38, including the step of providing the facility to enable the product manager participant to receive data from the
25 product on the card or device.

40. A method in accordance with claim 39, wherein the data is transaction data.

41. A method in accordance with any one of claims 37
30 to 40, including the step of providing the facility to enable the product owner participant to download product applications to a card or device.

42. A method of managing cards, comprising the steps of defining a card manager participant whose role is to perform management of cards alone, without managing
35 products associated with a card and without managing devices.

43. A method of managing devices, comprising the steps of defining a device manager participant whose role is to perform management of devices alone, without managing products associated with a card and without managing cards.

5 44. A generic system for the management of cards, devices and products, the system including a card management module, a device management module and a product management module, which can be used separately and networked with each other to enable different entities to
10 carry out card management, device management and product management alone, and to network with other similar systems to facilitate card, device and product management.

45. A system in accordance with claim 44, further comprising a message management module arranged to act as a
15 communications interface to manage the routing of message data between cards, devices, products, card management modules, product management modules and device management modules and wherein each participant in the generic system utilises a message management module.

20 46. A card, device and product arrangement, including a computing system having memory locations for receiving a plurality of product applications, and security means enabling selective access to the memory locations for a plurality of product owners, whereby the product owners may
25 separately access and manage their products stored at the memory locations.

47. A card, device and product arrangement in accordance with claim 46, wherein the memory locations are provided mounted on cards.

30 48. A card, device and product arrangement in accordance with claim 47 or claim 48, wherein the memory locations are provided mounted on the devices.

49. A card device and product arrangement in accordance with claim 46, 47 or 48, wherein the security
35 means comprises tokens operating as keys to enable access to the memory locations.

50. A card, device and product arrangement in
accordance with any one of claims 46 to 49, including a
product management system in accordance with any one of
claims 15 to 20 to enable management of product by a
5 product owner.

51. A card, device and product arrangement in
accordance with any one of claims 46 to 49, including a
card, device and product management system in accordance
with any one of claims 1 to 15, to enable management of the
10 arrangement.






FIG. 2

*FIG. 3*

**FIG. 4**





FIG. 5

**FIG. 6**





FIG. 7

**FIG. 8**




FIG. 9

INTERNATIONAL SEARCH REPORT

International application No.

PCT/AU00/00123

A. CLASSIFICATION OF SUBJECT MATTER																						
Int. Cl. ⁷ : G06K 19/00																						
According to International Patent Classification (IPC) or to both national classification and IPC																						
B. FIELDS SEARCHED																						
Minimum documentation searched (classification system followed by classification symbols) G06K 19/00, 19/067, G07F 19/00, G06F 17/60																						
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched AU: IPC AS ABOVE																						
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) WPAT: CARD+; MANAGEMENT; NETWORK+.																						
C. DOCUMENTS CONSIDERED TO BE RELEVANT																						
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.																				
X	US 5578808 A (TAYLOR) 26 November 1996 Entire document	1 - 51																				
X	US 5276311 A (HENNIGE) 4 January 1994 Entire document	1 - 51																				
X	WO 96/38804 A (SYSECA S. A.) 5 December 1995 Entire document	1 - 51																				
<input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C <input checked="" type="checkbox"/> See patent family annex																						
<p>* Special categories of cited documents:</p> <table border="0"> <tr> <td>"A"</td> <td>Document defining the general state of the art which is not considered to be of particular relevance</td> <td>"T"</td> <td>later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</td> </tr> <tr> <td>"E"</td> <td>Earlier application or patent but published on or after the international filing date</td> <td>"X"</td> <td>document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone</td> </tr> <tr> <td>"L"</td> <td>Document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</td> <td>"Y"</td> <td>document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art</td> </tr> <tr> <td>"O"</td> <td>document referring to an oral disclosure, use, exhibition or other means</td> <td>"&"</td> <td>document member of the same patent family</td> </tr> <tr> <td>"P"</td> <td>document published prior to the international filing date but later than the priority date claimed</td> <td></td> <td></td> </tr> </table>			"A"	Document defining the general state of the art which is not considered to be of particular relevance	"T"	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention	"E"	Earlier application or patent but published on or after the international filing date	"X"	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone	"L"	Document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y"	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art	"O"	document referring to an oral disclosure, use, exhibition or other means	"&"	document member of the same patent family	"P"	document published prior to the international filing date but later than the priority date claimed		
"A"	Document defining the general state of the art which is not considered to be of particular relevance	"T"	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention																			
"E"	Earlier application or patent but published on or after the international filing date	"X"	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone																			
"L"	Document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y"	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art																			
"O"	document referring to an oral disclosure, use, exhibition or other means	"&"	document member of the same patent family																			
"P"	document published prior to the international filing date but later than the priority date claimed																					
Date of the actual completion of the international search 7 March 2000		Date of mailing of the international search report 11 MAR 2000																				
Name and mailing address of the ISA/AU AUSTRALIAN PATENT OFFICE PO BOX 200, WODEN ACT 2606, AUSTRALIA E-mail address: pct@ipaustalia.gov.au Facsimile No. (02) 6285 3929		Authorized officer CHARLES BERKO Telephone No.: (02) 6283 2169																				

INTERNATIONAL SEARCH REPORT

International application No.

PCT/AU00/00123

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X, Y	WO 96/25724 A (EUROPAY INTERNATIONAL S.A.) 22 August 1996 Entire document	1 - 51
X, Y	US 5812668 A (WEBER) 22 September 1998 Abstract; drawings, particularly figs 1B to 4 and 22; columns 1 - 4.	1 - 51
Y	AU 17904/95 (REIDER) 21 November 1996 Entire document	1 - 51
Y	Article: ELECTRONIC PAYMENT MECHANISMS by ROGER CLARKE, ©Xamax Consultancy Pty Ltd, 1995.	1 - 51
Y	JOURNAL OF TELECOMMUNICATIONS NETWORKS, Winter 1982; pages 317 to 332. Technology and Market Trends; 'A perspective on Financial Industry Networking' by STEPHEN B. WEINTEIN.	1 - 51

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No.
PCT/AU00/00123

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent Document Cited in Search Report				Patent Family Member			
US	5578808	AU	45735/96	CA	2170327	CN	1138723
		DE	19607363	GB	2298505		
US	5276311	AU	50528/90	BG	60020	BR	905549
		CA	2011090	DE	3906349	EP	385290
		ES	2069613	FI	98251B	HU	55151
		JP	3040081	NO	904731	PT	93281
		WO	90/10279	ZA	9001402		
WO	96/38804	CA	2219815	EP	829062	FR	2734927
WO	96/25724	AU	18022/95	BG	101797	CZ	9702392
		EP	819287	FI	973352	HU	77416
		LV	11923	NO	973693	PL	321735
		SK	1028/97	NZ	281157		
US	5812668	AU	33992/97	WO	97/49052		
END OF ANNEX							

REC'D 12 JUN 2001

WIPO

PCT

Applicant's or agent's file reference FP12325	FOR FURTHER ACTION See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416).	
International Application No. PCT/AU00/00123	International Filing Date (<i>day/month/year</i>) 22 February 2000	Priority Date (<i>day/month/year</i>) 22 February 1999
International Patent Classification (IPC) or national classification and IPC Int. Cl. ⁷ G06K 19/00		
Applicant CARDS ETC. PTY LIMITED et al		

1.	This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.																
2.	<p>This REPORT consists of a total of 4 sheets, including this cover sheet.</p> <p><input checked="" type="checkbox"/> This report is also accompanied by ANNEXES, i.e., sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).</p> <p>These annexes consist of a total of 8 sheet(s).</p>																
3.	<p>This report contains indications relating to the following items:</p> <table border="0"> <tr> <td>I</td> <td><input checked="" type="checkbox"/> Basis of the report</td> </tr> <tr> <td>II</td> <td><input type="checkbox"/> Priority</td> </tr> <tr> <td>III</td> <td><input type="checkbox"/> Non-establishment of opinion with regard to novelty, inventive step and industrial applicability</td> </tr> <tr> <td>IV</td> <td><input type="checkbox"/> Lack of unity of invention</td> </tr> <tr> <td>V</td> <td><input checked="" type="checkbox"/> Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement</td> </tr> <tr> <td>VI</td> <td><input type="checkbox"/> Certain documents cited</td> </tr> <tr> <td>VII</td> <td><input type="checkbox"/> Certain defects in the international application</td> </tr> <tr> <td>VIII</td> <td><input checked="" type="checkbox"/> Certain observations on the international application</td> </tr> </table>	I	<input checked="" type="checkbox"/> Basis of the report	II	<input type="checkbox"/> Priority	III	<input type="checkbox"/> Non-establishment of opinion with regard to novelty, inventive step and industrial applicability	IV	<input type="checkbox"/> Lack of unity of invention	V	<input checked="" type="checkbox"/> Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement	VI	<input type="checkbox"/> Certain documents cited	VII	<input type="checkbox"/> Certain defects in the international application	VIII	<input checked="" type="checkbox"/> Certain observations on the international application
I	<input checked="" type="checkbox"/> Basis of the report																
II	<input type="checkbox"/> Priority																
III	<input type="checkbox"/> Non-establishment of opinion with regard to novelty, inventive step and industrial applicability																
IV	<input type="checkbox"/> Lack of unity of invention																
V	<input checked="" type="checkbox"/> Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement																
VI	<input type="checkbox"/> Certain documents cited																
VII	<input type="checkbox"/> Certain defects in the international application																
VIII	<input checked="" type="checkbox"/> Certain observations on the international application																

Date of submission of the demand 22 September 2000	Date of completion of the report 5 June 2001
Name and mailing address of the IPEA/AU AUSTRALIAN PATENT OFFICE PO BOX 200, WODEN ACT 2606, AUSTRALIA E-mail address: pct@ipaaustralia.gov.au Facsimile No. (02) 6285 3929	Authorized Officer CHARLES BERKO Telephone No. (02) 6283 2169

I. Basis of the report

1. With regard to the elements of the international application:*
- ☐ the international application as originally filed.
- ☒ the description, pages 1-41, as originally filed,
pages , filed with the demand,
pages , received on with the letter of
- ☒ the claims, pages , as originally filed,
pages , as amended (together with any statement) under Article 19,
pages , filed with the demand,
pages 42-49, received on 25 May 2001 with the letter of 25 May 2001
- ☒ the drawings, pages 1-8, as originally filed,
pages , filed with the demand,
pages , received on with the letter of
- ☐ the sequence listing part of the description:
pages , as originally filed
pages , filed with the demand
pages , received on with the letter of
2. With regard to the language, all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item.
These elements were available or furnished to this Authority in the following language which is:
- ☐ the language of a translation furnished for the purposes of international search (under Rule 23.1(b)).
- ☐ the language of publication of the international application (under Rule 48.3(b)).
- ☐ the language of the translation furnished for the purposes of international preliminary examination (under Rules 55.2 and/or 55.3).
3. With regard to any nucleotide and/or amino acid sequence disclosed in the international application, was on the basis of the sequence listing:
- ☐ contained in the international application in written form.
- ☐ filed together with the international application in computer readable form.
- ☐ furnished subsequently to this Authority in written form.
- ☐ furnished subsequently to this Authority in computer readable form.
- ☐ The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.
- ☐ The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished
4. ☐ The amendments have resulted in the cancellation of:
- ☐ the description, pages
- ☐ the claims, Nos.
- ☐ the drawings, sheets/fig.
5. ☐ This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).**

* Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17).

** Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)	Claims 1-20, 22, 24-41, 44-51	YES
	Claims 21, 23, 42, 43	NO
Inventive step (IS)	Claims 1-20, 22, 24-41, 44-51	YES
	Claims 21, 23, 42, 43	NO
Industrial applicability (IA)	Claims 1-51	YES
	Claims	NO

2. Citations and explanations (Rule 70.7)

Relevant documents cited in the International Search Report (ISR):

(a) WO 96/25724

(c) WO 96/38804

(d) US 5812668

(b) JOURNAL OF TELECOMMUNICATIONS NETWORKS, Winter 1982; pages 317 to 332. Technology and Market Trends. 'A perspective on Financial Industry Networking' by Stephen B. Weintein. (See paragraph 2.4 on ATM networks).

Novelty (N). Claims 21, 23, 42, and 43

None of the cited documents individually, or in any combination obvious to a person skilled in the art, disclose a 'tripartite' system involving combined card, device and product management, in which each entity is capable of managing its own component **alone** without having to manage any one of the others, as defined in amended independent claims 1, 15, 25, 26, 30, 37, 44, and 46, and appended claims.

However, the citations are considered to include in their disclosure individual card and device management systems as defined in amended claims 21, 23, 42, and 43. *In the absence in the claims of exactly what type of management is envisaged, the terminology is considered to include "handle, wield, control, conduct, organise, regulate, undertake, authorise, "cope with" and even "make proper use of" in its meaning.* The cited systems perform a number, if not all these functions, and the entities disclosed therein do not 'manage' (handle) other entities when engaged in managing (handling) their own components.

Claims 21, 23, 42, and 43 are considered **not to portray a 'tripartite' arrangement** as defined in the other independent claims. The individual systems defined in claims 21, 23, 42, and 43 are not adequately defined to properly link them with the other management entities referred to elsewhere in the specification and in these claims themselves, and could well be considered to constitute 'collocations'. **See Box VIII.**

The invention as claimed is considered to essentially embrace known EFTPOS, debit/credit cards transaction systems, as exemplified by these citations, within its scope.

The invention as claimed is considered to be not novel.

INVENTIVE STEP(IS) Claims 21, 23, 42, and 43

Claims 21, 23, 42, and 43: as above.

VIII. Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

1. Amended claims 21, 23, 42, and 43 do not clearly define the invention described.

(a) Claims 21 and 42 directed to card management make references to managed products being associated with a card. There is no clear definition of any association with managed products or managed devices and/or of their being a part of the system.

(b) Claims 23 and 43, directed to device management make references to managed products being associated with a card. There is no clear definition of any association with managed products or managed cards and/or of their being a part of the system.

Subsequently, as stated in BOX V, these claims are considered **not to portray a tripartite arrangement** as defined in the other independent claims. The individual system defined in claims 21, 23, 42, and 43 are not adequately defined to properly link them with the other management entities referred to elsewhere in the specification and in these claims themselves, and could well be considered to constitute 'collocations'. **The working interrelationships between all the features/entities are not apparent.**

The claims may well be considered to be not fairly based on matter described.

2. Amended claim 44 does not clearly define the invention. The enabling of "different" entities to carry out card, device, and product management alone (page 48 lines 24-26), does not adequately reflect matter described and defined elsewhere in the specification.

Each entity is expected to carry out its own management. As the claim stands it includes the ability of any entity to carry out management of any other entity, which is considered to be not fairly based on matter described.

- 42 -

THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS:

1. A card, device and product management system,
including a card management means including processing
5 facilities to enable a card manager participant to perform
a card management role alone, without managing products
associated with a card and without managing devices;
a device management means including processing
facilities to enable a device manager participant to
10 perform a device management role alone, without managing
products associated with the card and without managing
cards; and
a product management means, including processing
facilities to enable a product owner participant to perform
15 a product management role alone, without managing cards and
without managing devices, the product management means,
device management means and card management means being
arranged so that each of the card management role, device
management role and product management role can be carried
20 out separately from each other by separate entities, each
entity being enabled to carry out one of the roles only,
without having to carry out any of the other of the roles.
2. A system in accordance with claim 1, further
comprising a message management means arranged to manage
25 the routing of message data between cards, devices and a
card, device and product management system.
3. A system in accordance with claim 2, wherein the
message management means is also arranged to act as a
communication's interface routing message data between the
30 card management means, device management means and product
management means.
4. A system in accordance with claim 2 or claim 3,
the message management means also being arranged to manage
the routing of message data to external systems.
- 35 5. A system in accordance with any one of claims 2
to 4, wherein each one of the card management means, device

- 43 -

management means and product management means is provided with an associated message management means.

6. A system in accordance with any one of the preceding claims, wherein the system is arranged so that
5 the product management means is arranged to facilitate the product owner participant to directly affect control of a product associated with a card or device, without intervention of any of the other participants.

7. A system in accordance with claim 6, wherein the
10 control of the product involves loading data to the product.

8. A system in accordance with claim 6 or claim 7, wherein the control involves the product management means receiving data from the product via the system.

15 9. A system in accordance with claim 8, wherein the data is transaction data.

10. A system in accordance with any one of claims 6 to 9, wherein the control involves the product management means downloading product applications directly to a card
20 or device.

11. A system in accordance with any one of claims 6 to 10, wherein the system is arranged so that data associated with the product and provided to the product management means or to the card or device from the product
25 management means may be routed via the message management means of other entities participating in the system.

12. A system in accordance with any one of the preceding claims, wherein the card management means is arranged to store product owner identification data,
30 identifying product owner participants responsible for managing products associated with cards managed by the card manager participant.

13. A system in accordance with any one of the preceding claims, wherein the device management means is
35 arranged to store product owner identification data, identifying product owner participants responsible for

- 44 -

managing products associated with devices managed by the device manager participant, and card acceptor identification data, identifying card accepters using devices managed by the device manager participant.

5 14. A system in accordance with any one of the preceding claims, wherein the product management means is arranged to store card manager identification data identifying card managers managing cards supporting products managed by the product owner participant.

10 15. A product management system, comprising a product management means which enables a product owner participant to perform a product management role alone, without managing cards and without managing devices, wherein the system is arranged to facilitate the product owner
15 participant to directly affect control of a product associated with a card or device, where the product owner participant is responsible for product management only and is not responsible for managing cards or managing devices.

20 16. A system in accordance with claim 15, wherein the control of the product involves loading data to the product.

 17. A system in accordance with claim 15 or claim 16, wherein the control involves the product management means receiving data from the product.

25 18. A system in accordance with claim 17, wherein the data is transaction data.

 19. A system in accordance with any one of claims 15, 16 or 17, wherein the control involves the product management means downloading product applications to a card
30 or device.

 20. A system in accordance with any one of claims 15 to 20, wherein the product management means is arranged to store card manager identification data identifying card managers managing cards supporting products managed by the
35 product owner participant.

- 45 -

21. A card management system, including a card management means which enables a card manager participant to perform a separate card management role alone, without managing products associated with a card and without
5 managing devices.

22. A card management system in accordance with claim 19, wherein the card management means is arranged to store product owner identification data, identifying product owner participants responsible for managing products
10 associated with cards managed by the card manager participant.

23. A device management system, including a device management means which enables a device manager participant to perform a separate device management role alone, without
15 managing products associated with a card and without managing cards.

24. A device management system in accordance with claim 21, wherein the device management means is arranged to store product owner identification data, identifying
20 product owner participants responsible for managing products associated with devices managed by the device manager participant, and card acceptor identification data, identifying card accepters using devices managed by the device manager participant.

25. A generic card, device and product computing management system, including a plurality of service processing modules, each service processing module enabling a participant to the system to carry out at least one of card, device and product management, and a message
30 management module provided to each participant in the system and arranged to act as a communications interface routing message data between each of the service processing module and between cards and devices, to enable a network of service processing module and a plurality of
35 participants to interface to carry out card, device and product management.

- 46 -

26. A generic card, device and product management system including a network comprising a plurality of nodes, each node comprising a service processing module enabling a system participant to carry out at least one of card,
5 device and product management, and a message management module arranged to act as a communications interface routing message data between the service processing modules of each node and between cards and devices.

27. A system in accordance with claim 25 or claim 26,
10 wherein the service processing module include a device management module which enables a device manager participant to perform a device management role alone, without managing products associated with a card and without managing cards.

28. A system in accordance with claim, 25, 26 or
15 claim 27, the service processing module including a card management module which enables a card manager participant to perform a card management role alone, without managing products associated with a card and without managing
20 devices.

29. A system in accordance with any one of claims 25 to 28, wherein the service processing modules include a product management module which enables a product owner participant to perform a product management role alone,
25 without managing cards and without managing devices.

30. A method of managing cards, devices and products, comprising the steps of providing a tripartite environment for card management, the card management tripartite environment comprising;

30 a card manager participant responsible for managing non-product specific card operations;

a device manager participant responsible for managing devices for accepting cards and for carrying out product transactions; and

35 a product manager participant, responsible for the management of product-related aspects of the card

- 47 -

environment, wherein the device manager participant, card
management participant and product manager participant may
be separate entities, each operating separately from the
other and carrying out their separate management roles
5 alone.

31. A method in accordance with claim 30, comprising
the further step of providing a computer system including
modules enabling each of the card manager participant,
device manager participant and product manager participant
10 roles to be carried out separately from each other.

32. A method in accordance with claim 31, comprising
the step of enabling the system to facilitate the product
manager participant to have direct access to a product in
order to directly affect control of a product associated
15 with a card or device.

33. A method in accordance with claim 32, comprising
the step of enabling the product owner participant to load
data onto the product.

34. A method in accordance with claim 32 or claim 33,
20 comprising the step of enabling the product owner
participant to receive data from the product.

35. A method in accordance with claim 34, wherein the
data is transaction data.

36. A method in accordance with any one of claims 32
25 to 35, comprising the step of the product owner participant
downloading a product application to a card or device.

37. A method of managing products, comprising the
steps of providing a product manager participant,
responsible for the management of products alone, without
30 managing cards and without managing devices, and providing
the facility for the product manager participant to
directly affect control of a product associated with a card
or device.

38. A method in accordance with claim 37, including
35 the step of providing the facility to enable the product
owner participant to load data to the product.

- 48 -

39. A method in accordance with claim 37 or claim 38, including the step of providing the facility to enable the product manager participant to receive data from the product on the card or device.

5 40. A method in accordance with claim 39, wherein the data is transaction data.

41. A method in accordance with any one of claims 37 to 40, including the step of providing the facility to enable the product owner participant to download product
10 applications to a card or device.

42. A method of managing cards, comprising the steps of providing a card manager participant whose role is to perform management of cards alone, without managing products associated with a card and without managing
15 devices.

43. A method of managing devices, comprising the steps of providing a device manager participant whose role is to perform management of devices alone, without managing products associated with a card and without managing cards.

20 44. A generic system for the management of cards, devices and products, the system including a card management module, a device management module and a product management module, which can be used separately and networked with each other to enable different entities to
25 carry out card management, device management and product management alone, and to network with other similar systems to facilitate card, device and product management.

45. A system in accordance with claim 44, further comprising a message management module arranged to act as a
30 communications interface to manage the routing of message data between cards, devices, products, card management modules, product management modules and device management modules and wherein each participant in the generic system utilises a message management module.

35 46. A card, device and product arrangement, including a computing system having memory locations for receiving a

- 49 -

plurality of product applications, and security means enabling selective access to the memory locations for a plurality of product owners, whereby the product owners may separately access and manage their products stored at the
5 memory locations.

47. A card, device and product arrangement in accordance with claim 46, wherein the memory locations are provided mounted on cards.

48. A card, device and product arrangement in
10 accordance with claim 47 or claim 48, wherein the memory locations are provided mounted on the devices.

49. A card device and product arrangement in accordance with claim 46, 47 or 48, wherein the security means comprises tokens operating as keys to enable access
15 to the memory locations.

50. A card, device and product arrangement in accordance with any one of claims 46 to 49, including a product management system in accordance with any one of claims 15 to 20 to enable management of product by a
20 product owner.

51. A card, device and product arrangement in accordance with any one of claims 46 to 49, including a card, device and product management system in accordance with any one of claims 1 to 15, to enable management of the
25 arrangement.